

Prime Rate Kft. Fekete Preflight Acrobat vXI. verzió, a beállítások képernyőképei találhatóak a dokumentumban, ami alapján elkészíthető a saját profil Acrobat korábbi verziójához. 1. kép az összesített profil listát tartalmazza, ezt követő képek soronként tartalmazzák a különböző beállításokat.

Courier a TrimBox/BleedBox -on belül
 Nem biztos hogy ezt a fontot akarták használni, ez a hiba a helytelen betűkészlet helyettesítéskor jelentkezhet
 ----> ha nem szándékos akkor újra küldetés v. szerkesztés

- Font nincs beágyazva (Font is not embedded)
- nem 1 színes képfelbontás kevesebb mint 200_DPI v1 (Copy 1)
- OPI információ van a képben (PDFX) (Image has OPI information)
- 1színes képfelbontás kevesebb mint 150_DPI v1 (Copy 1)
- 92-100% közti majdnem fekete
- direkt színek lehetnek benne (may be spot colors are used) (ellenőrizhető a separation previewban) Fekete díjít
- Fehér elem nincs kiütésre állítva
- Grayscale fekete elem kiütésre állítva
- Grayscale fekete körvonal kiütésre állítva
- nem fekete elem C> 1% vagy M> 1% vagy Y> 1%--> ha nem szándékos akkor Black ink
- Regisztrációs fekete (C100,M100,Y100,K100)
- Regisztrációs fekete a nem színes oldalon
- separation none 0,0,0,0 szín (PS írás előtt fehér volt kiütés nélkül)
- Színprofil tartalmaz (ICC color profile-based) ----> Színprofil eltávolítása szükség esetén Action: ICC profile-t leszed
- Vonalvastagság kevesebb mint 0,14pt=0,05mm (Copy 1)
- különálló átlátszó elem (uses live transparency)
- OPM 0 kitöltésű elem
- OPM 0 körvonalú elem
- 4 szín fekete > 55%C, 50%M, 40%Y, 40%K --> ha nem szándékos akkor Action : 4 szín feketéből 100% fekete
- A megjegyzés típusa nem engedélyezett (GWG PDFX)
- Action van benne (PDFX)
- megjegyzés van benne (trimboxon belül)
- Színes oldal
- A PDF-be másik file van beágyazva ill. csatolva (PDFX) (Embedded file entry)
- Az állomány megrsérült (Document is damaged) ----> újra küldetés vagy vizuális vizsgálat összes oldal átlapozása + PS írási próba
- Az oldalak méret és fekvése nem egyezik (Pages sizes and orientation is different) ----> vizuális vizsgálat, méretezés, forgatás ill. a hiba jelzése
- Form field van benne (PDFX)
- Java szkriptet tartalmaz (PDFX)
- PDF verziószám kisebb, mint 1.3 ----> PDF optimizer (PDF 1.4-re beállítás) a korrekció végén
- PDF verziószám nagyobb, mint 1.4 --> PDF optimizer (PDF 1.4-re beállítás) a korrekció végén
- Réteges PDF (PDFX) (Layers used)
- Nem Distillerral készült (It was not make with Distiller) -----> újra küldetés vagy save as PS -----> disztillálás (PR standard)-----> ellenőrzés -----> elfogadtatás
- Photoshoppal készült (made by photoshop) Photoshopban szerkeszthető anyag

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Nem biztos hogy ezt a fontot akarták használni, ez a hiba a helytelen betűkészlet helyettesítéskor jelentkezhet
 ----> ha nem szándékos akkor újra küldetés v. szerkesztés

Fire if any condition is met

Apply this check to:
 Page contents
 Appearance of annotations
 Appearance of form fields
 Soft masks
 Current file
 Embedded files
 Ignore objects outside

This check is not locked.

Usage...

Group:

All
 Text
 Font
 Image
 Colors
 ICC color spaces
 Graphic state properties for fill
 Graphic state properties for stroke
 General Graphic state properties
 Halftone

Property:
 Can be mapped to Unicode
 All glyphs in the text can be mapped to Unicode. Add
 Character has ActualText entry
 Character is mapped to Unicode Private Use Area (PUA)
 Character references .notdef glyph
 Character references glyph with contours
 Contains white space characters
 Horizontal text scaling
 Is scaled horizontally
 Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Font
 Base font name
 contains
 Text:

Group: Page description
 Object is outside TrimBox
 is not true

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 -----> Visszajelzés kell, ill.
 fontbeágyazás: Embed All fonts Action,vagy
 Action: fontgörbítés 1. fele, majd optimizer fontgörbítés 2. fele,
 vagy
 fontgörbítés: PitStop9 Inspector, vagy jobb egérgomb / text / convert
 to outlines

Fire if any condition is met

Apply this check to:

Page contents

Appearance of annotations

Appearance of form fields

Soft masks

Current file

Embedded files

Ignore objects outside

TrimBox

This check is not locked.

Usage...

Group: All

- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property: Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Font

Is embedded

is not true

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Visszajelzés kell
 (kivéve pl.: plakát)

Fire if any condition is met

Apply this check to:

Page contents

Appearance of annotations

Appearance of form fields

Soft masks

Current file

Embedded files

Ignore objects outside

CropBox

This check is not locked.

Usage...

Group: All

- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property: Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Image

Image resolution

less than

Number:

Plus/minus:

Factor in page scaling factors

Group: Colors



Number of components



greater than

Number:

Plus/minus:

OK Cancel





Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Usage...

Group: ... All

- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property: Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Colors

Object is white

is true

Group: Graphic state properties for fill

Is overprint enabled for fill

is true

Group: Page description

Object is inside TrimBox and ArtBox

is true

Group: Graphic state properties for fill

Constant alpha for fill

greater than

Number:

Plus/minus:

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:

Illesztési hibánál a papír fehérje kvillanhat, mivel az elem mögött a háttér ki van ütve, nincs felnyomásra állítva.

----> Action: Fekete overprintre
 ----> Quickrun: Alap

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Usage...

Group: ... All

- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property: Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Colors

Object uses Black with a percentage of

greater than

Number:

Plus/minus:

Group: Graphic state properties for fill

Is overprint enabled for fill

is not true

Group: Colors

Object uses CMYK only (no spot colors)

is true

Group: Colors

Is DeviceGray



is true



Group: Colors

Object uses Black only

is true

OK Cancel





Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 PS írás előtt fehér volt kiütés nélkül

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

CropBox

This check is not locked.

Usage...

Group:

- All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

Find

- Can be mapped to Unicode
All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Colors

- Is Separation color space
is true

Group: Colors

- Is None color
is true

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 ----> Színprofil eltávolítása szükség esetén Action: ICC profile-t leszed
 ----> Vagy a színprofil felhasználva átkonvertálni Fogra 39-be
 Pitstop Inspector/ Convert colors,
 a forrás (source) a beágyazott, a kimeneti (target) a Fogra-39

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

CropBox

This check is not locked.

Usage...

Group:

- All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

Find

- Can be mapped to Unicode
All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Colors

- Is ICC based color space
is true

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Ha a vonal kisebb mint amit a kimeneti eszköz elő tud állítani, akkor baj lehet
 (line width is less than 0,14pt=0,05mm)
 ----> Action: vonalvastagsag_beall

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

- ... All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Graphic state properties for stroke

- Effective line width

less than

Number:

Plus/minus:

Factor in page scaling factors

Group: Graphic state properties for stroke

- Stroke adjustment

is true

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 A nem korszerű RIP-ek nem kezelik megfelelően (APPEII. modul nélküli) az 1.3-as PDF-ben és PS-ből készített PDF-ben elvileg nem is lehet, PDF/X1a, X3-ban nem engedett.

----> Optimiser Advanced
 menu/tools/printproduction/optimiser/transparency flattening
 ----> Save as optimised PDF (ugyanaz mint az optimiser)
 ----> PS visszairás
 ----> Fixup

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

- ... All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: General Graphic state properties

- Has transparency

is true

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 OverPrint Mode 0 (not Illustrator Overprint Mode)
 A felülnyomás mód 0 típusú (nem illustrator OPM1)
 Az Acrobat overprint preview nézete furcsán jeleníti meg a felülnyomást és egyes RIP-ek sem megfelelően kezelnek a beállítást (2009 előtt a PERA rendszeréhez kellett).
 ----> PitStop Action: OPM-1-re

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

- ... All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

Find

- Can be mapped to Unicode
All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: General Graphic state properties

- Is Illustrator overprint mode
- is not true

Group: Graphic state properties for fill

- Is overprint enabled for fill
- is true

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 OverPrint Mode 0 (not Illustrator Overprint Mode)
 A felülnyomás mód 0 típusú (nem illustrator OPM1)
 Az Acrobat overprint preview nézete furcsán jeleníti meg a felülnyomást és egyes RIP-ek sem megfelelően kezelnek a beállítást (2009 előtt a PERA rendszeréhez kellett).
 ----> PitStop Action: OPM-1-re

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

- ... All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

Find

- Can be mapped to Unicode
All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: General Graphic state properties

- Is Illustrator overprint mode
- is not true

Group: Graphic state properties for stroke

- Is overprint enabled for stroke
- is true

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 ---> ha nem szándékos akkor Global Change: change color, remap color, 4 szín feketéből 100% fekete + OP
 vékonyabb elemeknél (vonal, kisebb betűfokozat) a színkonvokatok élcűszásakor probléma lehet

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Usage...

Group:

- All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Page description

- Object is inside TrimBox and ArtBox

is true

Group: Colors

- Object uses Cyan with a percentage of

greater than or equal to

Number:

Plus/minus:

Group: Colors

- Object uses Magenta with a percentage of

greater than or equal to

Number:

Plus/minus:

Group: Colors

- Object uses Yellow with a percentage of

greater than or equal to

Number:

Plus/minus:

Group: Colors

- Object uses Black with a percentage of

greater than or equal to

Number:

Plus/minus:

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Ghent PDF Workgroup ajánlása szerint nem szabad a PDF-ben hagyni, mivel ripplelésnél hibát okozhat (Movie, Sound, TrapNet and PrinterMark)
 ---> ha nem kell nyomásban, akkor Acrobat bal alsó sarkában comments, vagy attachments ful megnyit kitorólni a dolgokat, vagy ---> Fixup tisztításV2
 ---> ha a megjegyzés kell akkor Fixup: megjegyzések beágyazása

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Usage...

Group:

- All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Annotations

- Type of annotation

is contained in

Text:

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Form field (űrlepmező), vagy Java szkript lehet ezt törölni kell, mert rippelésnél hibát okozhat (PDFX)
 ---> Optimizálás
 ---> Action még nincs hozzá
 ---> Fixup tisztításV2

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

- Can be mapped to Unicode
All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Annotations
 Has actions
 is true

Group: Form fields
 Has actions
 is true

Group: Document
 Has actions
 is true

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 A megjegyzést nem nyomtatják automatikusan ill. hibát is okozhat
 ---> ha nem kell nyomásban, akkor Acrobat bal alsó sarkában comments, vagy attachments fül megnyit kitorolni a dolgokat, vagy
 ---> Fixup tisztításV2
 ---> ha a megjegyzés kell akkor Fixup: megjegyzések beágyazása, vagy szerkesztés

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:



- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

- Can be mapped to Unicode
All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Annotations
 Annotation is inside BleedBox or TrimBox
 is true



Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 ---> újra küldetés vagy vizuális vizsgálat összes oldal átlapozása + PS írás próba

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Usage...

Group:

- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

- Can be mapped to Unicode
All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Document

- Is damaged

This property has no configurable parameters.

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 ---> Action: Pagebox info, riport szerűen megmutatja az oldalak méretezését
 ---> vizuális vizsgálat, hiba jelzése, méretezés, forgatás v. szétszedés feladattól függően
 ---> PitStop profile

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Usage...

Group:

- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:



- Can be mapped to Unicode
All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table



Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Document

- Orientation and size equal for all pages
is not true
- Factor in page scaling factors

OK Cancel





Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Be és kikapcsolható rétegeket tartalmaz a PDF, mint pl. a Photoshopban.
 Rípellésnél problémás lehet. (PDFX)
 ---> Optimizer: tisztítás
 ---> Fixup: tisztítás
 Rétegeket össze kell olvasztani, majd 1.4-1.3-as PDF verzióba menteni

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

Property:

is true

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 ha nincs benne különálló átlátszó v. effektes elem, v. egyéb hiba, akkor mehet tovább, egyéb esetben
 save as PS -----> disztillálás (PR standard)-----> ellenőrzés -----> elfogadtatás

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

Property:

does not contain

Text:

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Preflight: Edit Check

When check fires, report as:

Photoshopban szerkeszthető anyag

When it does not fire, report as:

Explanation for this check:

Photoshopban szerkeszthető anyag
(általában a fontokkal probléma van digitnyomáskor)


Nyisd meg Photoshopban és készíts belőle képet

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

CropBox

 This check is not locked.

Usage...

Group:

- ... All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Document info

Producer

contains

Text: Photoshop

OK

Cancel